A Self-Learning Resource From MSU Extension



**MontGuide** 

Planting a Successful Home Vegetable Garden

by Cheryl Moore-Gough, Extension Horticulture Specialist, retired, and R.E. Gough, Professor of Horticulture

This guide covers basic garden planning and growing transplants, plus includes a table with days to maturity, planting depth and spacing, projected yields and germination temperatures for 40 common vegetables.

MT199502AG Reprint 5/09

## HAVING A SUCCESSFUL VEGETABLE GARDEN

depends not only on how you garden but on planting enough of the right vegetables at the right time to supply your family's needs.

Plant at the right time. This will vary with air temperature, soil temperature and the needs of individual crops. Hardy crops like cabbage tolerate frosts and can be planted in early spring; tender crops like peppers don't tolerate frosts and need more heat to mature properly, so plant them when the soil has warmed to 60°F.

How you organize crops in the garden is also important. Plant tall vegetables like corn on the north or northeast side of the garden to reduce shading. Orient all rows in a north-south direction to take advantage of the best sunlight distribution. Plant vegetables that need heavy watering in the fall away from those like onions, potatoes, and other root crops, which need to be dry to be stored properly. Proper spacing between plants is also important.

The table on pages 2 and 3 contains information about average days to maturity, plant spacing, planting depth, average yields, and planting dates for common vegetables.

## **Cultivars**

Note the number of "days to maturity" on the seed packet to be sure the cultivar will have time to mature before the end of the season. To determine your frost-free period, contact your county Extension agent or use MSU MontGuide *Can I Grow That Here?* (MT199308AG) or *A Montana Gardener's Book of Days* (EB165). The dates given for your locality represent average length of growing seasons, but the real season length can vary by plus or minus two weeks from the length given.

## **Growing Transplants**

Many tender vegetables can't mature in our short seasons; start plants indoors or buy transplants from a local nursery or garden center. If you grow your own transplants, give them adequate light. The windowsill may appear bright enough, but it isn't. Use a combination of warm and cool white fluorescent bulbs to provide supplemental light or grow lights, which provide the full spectrum of light waves. Space light bulbs about 2 inches apart, center to center, and no higher than 18 inches above the plants. Leave them on from 12 to 16 hours each day after the seedlings have emerged.

Grow peppers, eggplants, and tomatoes in flats and transplant them to the garden bare-root. Plant cell packs may also be used. Cucumber, squash, muskmelon and watermelon do not transplant well bare-root, so grow them in peat pots or jiffy pellets and transplant them to the garden with an intact soil ball. Grow cabbage, cauliflower, Brussels sprouts, broccoli, lettuce, and onion transplants either in flats or in containers.

If you use peat pots for transplanting, *be sure the entire pot is buried* to prevent water loss from soil around the plant through the "wick" action of the peat pot rim being exposed to the air. You can use Styrofoam cups as growing containers if *you punch drainage holes in their bottoms*. Remove these containers at planting.

Purchase a good soilless grow mix in which to raise your transplants or make one yourself by mixing equal parts ground sphagnum moss and horticultural vermiculite or perlite. If the foliage of your seedlings turns yellow-green, water your plants with a solution of 2 tablespoons of a fertilizer such as 20–20–20 in a gallon of water.

Sow seeds of warm season vegetables ¼-inch deep in rows at the rate of 1 seed per inch of row if in flats, or 1-2 seeds per container. Wet the planting medium and allow excess water to drain before planting. **Don't over-water your seedlings.** 

Seeds of warm season crops such as eggplant and peppers germinate fastest at 80°-90°F, while those of other vegetables germinate better at 60°-80°F. After emergence, reduce the growing temperature to 60°F at night and 70-75°F during the day for most warm season crops. Cool season crops and tomatoes do well with 68° F day temperatures and 45°-50° F night temperatures.

TABLE 1. Garden vegetable planting guide

			Dlanting	Cnacing	Special potwoon			
Crop	Days to maturity (range)	Seeds/plants per 100 ft. row	depth (inches)	spacing in row (inches)	spacing between rows (inches)	Average yield per 10 ft. row*	Germinat Minimum °F.	Germination temperature num °F. Optimum °F
			VERY	VERY HARDY TO HARDY⁴	DY1			
Asparagus	Perennial	65 plants	plants, 10	18	40-48	6 plants		
Beet	60–65	1 oz.	П	2–3	18	4 lb. greens 10 lb. roots	40	50–85
Cabbage	02-09	50 plants		20–24	30	8 lb.	T <sub>r</sub>	Transplants
Carrot	65–70	½ oz.	1/2	2–3	18	10 lb.	40	45–85
Chard, Swiss	50	1/2 OZ.	Н	12	24–30	10 plants	40	50-85
Chives	Perennial			12–18	8–10	10 plants	Pla	Plant division
Endive	65	<sup>1</sup> / <sub>2</sub> 0Z.	1/2	8	18	8 heads	35	40–80
Horseradish	Perennial			18	18	varies	Pla	Plant division
Jerusalem Artichoke	Perennial	65 plants	2–3	18	24	varies	Ple	Plant tubers
Kale	50–55	1/4 OZ.	1/2	18	24	7 lbs.	40	45–85
Lettuce, Leaf	40–45	1/4 OZ.	1/2	3–6	12–18	5 lbs.	35	40–80
Lettuce, Head	70–80	<sup>1</sup> / <sub>4</sub> oz.	1/2	12	18	10 heads	45	40–80
Onion, Bulb	100	300 transplants		4	18	10 lbs.	Set	Sets or plants
Onion, Bunching	08-09	<sup>1</sup> / <sub>2</sub> oz.		Т	12	10 lbs.		Plants
Parsnip	85–120	½ oz.	1/2	3-4	18	7 lbs.	35	20–70
Peas (fresh)	20–65	½ oz.	11/2	2	18-30	2 lbs.	40	40–75
Rhubarb	Perennial	30 plants		30	40–48	4 plants	Cro	Crown division
Rutabaga	06	½ 0Z.	1/2	9	18	15 lbs.	40	55–80
Turnip	20–60	½ oz.	1/2	т	18	5 lb. roots	40	60–105

TABLE 1. continued

Crop	Days to maturity (range)	Seeds/plants per 100 ft. row	Planting depth (inches)	Spacing in row (inches)	Spacing between rows (inches)	Average yield per 10 ft. row*	Germinatio	Germination temperature mum °F. Optimum °F.
				HALF HARDY <sup>2</sup>				
Broccoli	02	50 plants		18	30	7 lbs.	Trar	Transplants
Brussels Sprouts	90-100	50 plants		18-24	24–30	5 lbs.	Trar	Transplants
Cauliflower	50–55	50 plants		18	30	sql 8	Trar	Transplants
Celery	85-100	200 plants		4-8	30-36	10 plants	Trar	Transplants
Chinese Cabbage	70	1/4 OZ.	3/4	10–12	24–36	6 heads	Trar	Transplants
Kohlrabi	55	½ 0Z.	П	4–6	18	5 lbs.	40	45–85
Parsley	70	<sup>1</sup> / <sub>2</sub> 0Z.	3/4	9	18	varies	40	50–84
Potato	80–120	12 lbs.	4	10-20	36–40	varies	Seed piec	Seed pieces from tubers
Radish	20–30	1 oz.	1/2	1	12–18	10 bunches	40	45–90
			1	WARM SEASON <sup>3</sup>				
Beans, Bush	45–50	½ lb.	2	4	18–24	8 lbs.	09	60–85
Beans, Pole	60–65	<sup>1</sup> / <sub>2</sub> lb.	2	4	18–24	15 lbs.	09	60–85
Corn, Sweet	65–80	<sup>1</sup> / <sub>4</sub> lb.	2	12–36	36	10 ears	50	50–95
Cucumber	20-60	<sup>1</sup> / <sub>2</sub> 0Z.	3/4	36–48	40–48	12 lbs.	09	60–95
Eggplant	08-09	65 plants	1/2	18	25	7 lbs.	Trar	Transplants
Muskmelon or Cantaloupe	85–120	½ 0Z.	1–2	3-6	48-84	10 fruits	09	75–95
Okra	55–65	1/4 OZ	1/2	12–15	36	varies	09	70–95
Pepper	70–80	80 plants	1/2	15	24	5 lbs.	Trar	Transplants
Pumpkin	100	1 oz.	₽	48	48–60	25 lbs.	09	06-02
Squash, Summer	55–65	1 oz.	4	40–50	48–60	20 lbs.	09	70–95
Squash, Winter	55-105	1 oz.	Н	40–50	48–72	15 lbs.	09	70–95
Tomato	60–85	40 plants		30	36–40	15 lbs.	Trar	Transplants
Watermelon	100-130	3/4 OZ.	1–2	72–96	72–96	7 fruits	09	70–95
i								

<sup>&</sup>lt;sup>1</sup> These vegetables survive hard frosts and can be planted 2-3 weeks before the average date of the last 32-degree temperature in spring.

<sup>&</sup>lt;sup>2</sup> These vegetables withstand light frosts and their seeds germinate at low soil temperatures. Plant them 2 weeks before the average date of the last 32-degree temperature in spring.

<sup>3</sup> These vegetables do not withstand frost and their seeds will not germinate in cold soil. Plant them at about the average date of the last 32-degree temperature.

<sup>\*</sup> Yields will vary with local conditions.

Transplant bare-root seedlings into cube trays or individual planting pots when they've reached an inch in height. Moisten the medium and, with a pencil, punch a hole in the medium deep enough to accommodate the root system without crowding. Lift the seedling from the original container with a pencil, set it into the hole, and firm the medium around it with the pencil.

Sow large-seeded vegetables like cucumber and pumpkin into individual containers by pushing the seeds into the mix with a pencil eraser.

Water the transplants until water exits through the drain holes or through the peat pot. Then don't water again until plants just begin to wilt. Test the need to water by squeezing a small amount of medium from the upper half of the container between your fingers. If no water appears, it's time to water. For soilless mixes such as peat moss, perlite or vermiculite, don't water if water drips from the mix.

Harden transplants before setting them in the garden. Slowly reduce the temperature, reduce watering, and increase light levels. Placing plants outside during favorable weather for two to three weeks before transplanting is a good way to harden them to outside conditions. Bring plants indoors each night when frost is expected.

For warm season crops such as cucumber, tomato, pepper and eggplant, plastic mulch or the newer geotextile fabric mulches help warm the soil and reduce weed competition. Set plants through flaps cut in the plastic sheeting or fabric. You can seed cucumber and squash directly into the soil beneath flaps that you cut in the material.

## **Pest Control**

You can eliminate many pest problems if you use artificial soil mixes or sterilize garden soil prior to seeding. Buy disease resistant cultivars, space the plants properly to allow circulating air to dry the foliage, and never water at night.

Rotate vegetable crops each year and clean up debris at the end of each season.



To order additional publications, please contact your county or reservation MSU Extension office, visit our online catalog at **www.msuextension.org/publications.asp** or e-mail **orderpubs@montana.edu** 

Copyright © 2009 MSU Extension

We encourage the use of this document for nonprofit educational purposes. This document may be reprinted for nonprofit educational purposes if no endorsement of a commercial product, service or company is stated or implied, and if appropriate credit is given to the author and the MSU Extension. To use these documents in electronic formats, permission must be sought from the Extension Communications Coordinator, 115 Culbertson Hall, Montana State University, Bozeman MT 59717; E-mail: publications@montana.edu

The U.S. Department of Agriculture (USDA), Montana State University and Montana State University Extension prohibit discrimination in all of their programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital and family status. Issued in furtherance of cooperative extension work in agriculture and home economics, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Douglas L. Steele, Vice Provost and Director, Montana State University Extension, Bozeman, MT 59717.



File under: Yard and Garden (Vegetables)
Reprint May 2009 1000-509SA